Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	3	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 with (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:23
L20	0	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) with (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:23
L21	3	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 with (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:47
L22	1327	(saving\$5 with state\$5 check\$5 same invalidat\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:24
L23	3	(print\$ same (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 same (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:24
L24	1175	(saving\$5 with state\$5 check\$5 same invalidat\$5 same print\$5 with (setting\$5 parameter\$5 checking\$5 attribut\$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25
L25	1173	(saving\$5 with state\$5 check\$5 same invalidat\$5 same print\$5 with (setting\$5 parameter\$5 checking\$5 attribut\$5) same page\$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25
L26	0	(saving\$5 with state\$5 same check\$5 same invalidat\$5 same print\$5 with (setting\$5 parameter\$5 checking\$5 attribut\$5) same page\$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25
L27		(saving\$5 with state\$5 same check\$5 same invalidat\$5 same print\$5 with (setting\$5 parameter\$5 checking\$5 attribut\$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25

L28	80	(print\$ same (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 sameh (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:48
-----	----	---	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
	·	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 interleave\$5) adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:54
		(358/1.1, "358"/("1.11-1.16")). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
		(358/1.1, "358"/("1.11-1.116")). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
		(358/1.1, 358/1.11-1.116).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
		(358/1.1, 358/1.11-1.116).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
L1	6	(sav\$5 adj2 function\$5) same print\$5 adj2 (parameter\$5 setting\$5 attribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:20
L2	1203	(page with blank\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:52
L3	16	(page with blank\$5) with print\$5 adj2 (setting\$5 parameter\$5 attribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:53
L4	1	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same ((separat\$5 interleave\$5) adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25

L5	928	(NISHIKAWA near4 SATOSHI	US-PGPUB;	OR	ON	2005/09/27 10:21
	, , , ,	NAKAGIRI near4 KOJI MORI near4 YASUO KUJIRAI near4 YASUHIRO).in.	USPAT; EPO; JPO; DERWENT; IBM_TDB			
L6	2	jp-2000185445-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:21
L7	24	5 and @rlad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:59
L8	24	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same ((separat\$5 interleave\$5) same (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25
L9	1	8 and @rlad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25
L10	30	(saving\$5 near4 state\$2 near4 check\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:26
L11	2	(saving\$5 near4 state\$2 near4 check\$2) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:26
L12	35	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:36
L13	17	(invalidat\$5 deactivat\$5) near4 save\$5 adj2 mode\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:39
L14	14854	(358/1.1, 358/1.9, 358/1.11-1. 16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:39

	r		1	·		
L15	1528	14 and @rlad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:00
L16	1	(print\$5 with setting\$5 with check\$5 with separat\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:01
L17	0	(sav\$5 adj2 function\$5) same print\$5 adj2 (parameter\$5 setting\$5 attribut\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:20
L18	1	(print\$5 with setting\$5 with check\$5 with separat\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:21
S1	6	(("5749024") or ("6104498") or ("5442732")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 14:48
S2	12	(("6654136") or ("6765685") or ("5918088") or ("6301013") or ("5881212") or ("6362892")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 15:12
S3	2	("5881212").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:58
S4	11352	(358/1.1, 358/1.11-1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
S5	11	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) with (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S6	0	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) with (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) with (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:01

	Ι	F	T <u>-</u>		I .	
S7	0	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) with (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/06/27 17:01
S8	3	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) with (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) and (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S9	1	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S10	274	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) and(separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) and (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR'	ON	2005/06/27 17:02
S11	1	S4 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S12	1	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S13	1	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S14	1	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S15	6	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S16	24	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 with (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42

S17	26	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 with (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 near4 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S18	7	(print\$5 near4 driver\$5) with (fac adj2 up face adj2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S19	21	(print\$5 near4 driver\$5) same (fac adj2 up face adj2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:03
S20	1	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:54
S21	. 11	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) with (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:26
S22	7	(print\$5 near4 driver\$5) with (fac adj2 up face adj2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S23	25	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 with (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:46
S24	3	(print\$ adj2 (setting\$5 parameter\$5 attribut\$5)) with (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) and (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S25	6	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 adj2 (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S26	25	(print\$ with (setting\$5 parameter\$5 attribut\$5)) same (separat\$5 with (sheet\$4 page\$2 media\$5 medium\$5 paper\$5)) same (print\$5 adj2 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:24